

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 29 1992

Returned to applicant for correction.....

Corrected application filed.....

Map filed APR 29 1992

The applicant Gerald DePalma

3201 S. Maryland Parkway Suite 326, of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nevada 89109, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.04 C.F.S. (4 home sites) second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Quasi-Municipal and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under No. 12. "Remarks") 4 home sites

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20,
Describe as being within a 40-acre subdivision of public
Township 19 South, Range 60 East M.D.M. The SW corner of said Section
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
20 bears S 41 20' 00" W a distance of 3081.00 feet

6. Place of use within a portion NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, Township 19 South,
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Range 60 East M.D.B.&M.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" well casing approximately 500' deep
State manner in which water is to be diverted, i.e. diversion structure, ditches and
thru 2" plastic service lines
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$25,000.00

10. Estimated time required to construct works 2 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 4 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

4 home sites to be served

Compared bk/vw pm/vjw

By S/Richard L. Hafen Agent
Richard L. Hafen, Agent
2383 Gateway Road
Las Vegas, Nevada 89115

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.04 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before August 1, 1996

Proof of completion of work shall be filed before September 1, 1996

Application of water to beneficial use shall be filed on or before August 1, 1999

Proof of the application of water to beneficial use shall be filed on or before September 1, 1999

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

CANCELLED APR 22 1998 BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Richard L. Hafen STATE ENGINEER

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 1st day of August,

A.D. 94

R. Michael Turnipseed P.E.
State Engineer

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... APR 29 1992

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... APR 29 1992

The applicant..... Gerald DePalma

3201 S. Maryland Parkway Suite 326, of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nevada 89109, hereby make... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... underground source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... 0.04 C.F.S. (4 home sites).....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... Quasi-Municipal and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under No. 12. "Remarks")..... 4 home sites

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, Township
Describe as being within a 40-acre subdivision of public

19 South, Range 60 East M.D.M. The SW corner of said Section 20 bears S 41 20'
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

00" W a distance of 3081.00 feet

6. Place of use..... within a portion NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, Township 19 South, Range 60
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

East M.D.B.&M.

7. Use will begin about..... January 1..... and end about..... December 31....., of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... 8" well casing approximately 500' deep thru 2"
State manner in which water is to be diverted, i.e. diversion structure, ditches and
plastic service lines
flumes, drilled well with pump and motor, etc.